

2007 HURRICANE SPECIFICATIONS

| Model | 30Q | 31D | 31H | 32R | 33H | 34B | 34N |
|-----------------------------------------------|--------|--------|--------|--------|--------|--------|--------|
| WEIGHT RATING (LBS.) | | | | | | | |
| Ford Chassis 6.8L Triton | V10 |
| Gross Vehicle (GVWR) | 15,700 | 18,000 | 18,000 | 20,500 | 20,500 | 20,500 | 20,500 |
| Gross Combined (GCWR) | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 |
| Workhorse Chassis 8.1L Vortec | V8 |
| Gross Vehicle (GVWR) | 16,000 | 18,000 | 18,000 | 20,700 | 20,700 | 20,700 | 20,700 |
| Gross Combined (GCWR) | 22,000 | 22,000 | 22,000 | 26,000 | 26,000 | 26,000 | 26,000 |
| MEASUREMENTS | | | | | | | |
| Wheel Base | 190" | 190" | TBD | 208" | 208" | 228" | 208" |
| Exterior Length <i>(without ladder)</i> | 31'5" | 32'3" | 32'10" | 32'9" | 34'5" | 35'5" | 34'7" |
| Exterior Height <i>(with air conditioner)</i> | 11'7" | 11'7" | 11'7" | 12'3" | 12'3" | 12'3" | 12'3" |
| Interior Height | 80" | 80" | 80" | 80" | 80" | 80" | 80" |
| Awning Size | 16' | 16' | 17' | 17' | 17' | 14'6" | 17' |
| TANK CAPACITIES | | | | | | | |
| Fuel <i>(gallons)</i> | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| LPG <i>(pounds)</i> | 64 | 64 | 88 | 81 | 81 | 81 | 81 |
| Fresh Water <i>(gallons)</i> | 52 | 52 | 33 | 65 | 65 | 65 | 65 |
| Waste Water <i>(gallons)</i> | 26 | 26 | 32 | 44 | 54 | 54 | 54 |
| Gray Water <i>(gallons)</i> | 44 | 44 | 43 | 54 | 44 | 44 | 44 |
| Water Heater <i>(gallons)</i> | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Furnace <i>(BTUs)</i> | 35,000 | 35,000 | 35,000 | 35,000 | 35,000 | 35,000 | 35,000 |

VEHICLE LOADING: Every effort has been made to provide the greatest number of options for the recreational vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices so that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle.

DRY WEIGHTS: Based on standard features; optional equipment not included. Net carrying capacity (NCC) determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight, (GVWR) and includes fluids, options, and cargo. Liquid capacities and weights are approximations only.

WARNING: This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing, and towing instructions.

****IMPORTANT:** Towing capacity may vary by chassis model, floorplan, options and loading of the vehicle. This may result in a towing capacity which is less than the maximum capacity of the hitch. Do not exceed the vehicle's Gross Combined Weight Rating (GCWR), or the hitch rating. A separate functioning brake system is required for any towed vehicle or trailer weighing more than 1,000 lbs. (450 KG) when fully loaded.

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in Canada.



P.O. Box 1486 • Elkhart, Indiana 46515-1486
Telephone: 574-266-1111 • Fax: 574-294-8971

www.fourwinds-rv.com



© 2006 Four Winds International
Litho USA 806-35M

Hurricane

2007



FW Four Winds
INTERNATIONAL

Hurricane

2007 HURRICANE FEATURES



BODY CONSTRUCTION/ EXTERIOR

Standard

- Tubular steel welded floor system
- Vacu-Bond laminated roof, walls and floors with high-density block foam insulation
- Fully welded tubular aluminum roof and sidewall cage construction
- Air conditioning ductwork molded into roof insulation
- Enclosed exterior utility station (32R, 33H, 34B and 34N only)
- Premium one-piece TPO roof—Energy Star approved and labeled
- Automatic electric entry step
- Hydraulic leveling jacks (32R, 33H, 34B and 34N only)
- Patio awning
- Roof ladder

Options

- Choice of exterior paint packages
- Slick fiberglass exterior
- Hydraulic leveling jacks (30Q, 31D and 31H only)

- Exterior shower (30Q, 31D and 31H only)

AUTOMOTIVE/COCKPIT

Standard

- 5,000-lb. trailer hitch
- Wood grain dash insert
- Dash fans
- Deluxe exterior mirrors
- One-piece fiberglass front and rear caps
- Fog lights
- Oversized AM/FM radio with large buttons, CD and cassette player and weather band
- Generator start switch on dash
- Stainless Steel wheel liners

Options

- Infiniss™ Leather driver and passenger captain's chairs
- Six-way power driver's seat
- Back-up monitor with one-way audio
- Heated remote exterior mirrors
- Spare tire with rim (not available on 32R, 33H, 34B and 34N Workhorse chassis)



INTERIOR

Standard

- Residential linoleum (galley, bath and entry way)
- Metal grab handles
- 13,500 BTU roof air conditioner in front
- Oak cabinetry
- Overhead lights in living room
- Raised panel wall cabinet doors
- Hardware with Brushed Nickel finish
- Mini-blinds throughout
- Soft Touch vinyl ceiling (32R, 33H, 34B and 34N only)
- Fabric hide-a-bed sofa (not available on 30Q and 31H only)

Options

- Cherry or Maple cabinetry
- 13,500 BTU rear roof air conditioner (requires 50-amp service and 5500-watt generator)
- Day/night shades throughout
- Fantastic® fan in kitchen
- Dual pane windows
- Residential linoleum throughout
- Infiniss™ Leather sofa
- Infiniss™ Leather hide-a-bed sofa (not available on 30Q and 31H)
- Fabric sofa with pedestal table in place of dinette (31D and 31H only)

- Infiniss™ Leather sofa with pedestal table in place of dinette (31D and 31H only)
- Fabric recliner in place of barrel chair (32R, 34B and 34N only)
- Infiniss™ Leather recliner in place of barrel chair (32R, 34B and 34N only)
- Leather Euro recliner in place of barrel chair (32R, 34B and 34N only)

GALLEY

Standard

- Double door refrigerator

ENTERTAINMENT

Standard

- Cable television and satellite prep
- 24" television in front overhead (32R, 33H, 34B and 34N only)
- 20" television in front overhead (30Q, 31D and 31H only)
- 20" television in bedroom (32R, 34N, and 34B only)
- 15" LCD television in hallway (34B only)
- Television cabinet in bedroom

Options

- Home theater system with DVD player and recessed ceiling speakers
- Outside entertainment center with compact disc player
- 14" television in bedroom (30Q, 31D, 31H and 33H only)
- DVD player
- Satellite dish

BEDROOM/BATHROOM

Standard

- Inner spring mattress
- Bedspread and pillow shams
- Bunk beds in hallway slide room (34B only)
- Vanity with stool (32R and 34N only)
- China bowl toilet
- Neo-angled shower with glass door (31D, 31H, 32R, 34B and 34N only)

Options

- Twin beds (30Q, 31D, and 33H only)
- Glass shower door (30Q and 33H only)

SAFETY/CONVENIENCE

Standard

- Entry door with deadbolt lock
- Telephone jack
- Smoke detector
- Fire extinguisher
- LPG detector
- Carbon monoxide detector

Options

- Convection microwave with 3-burner high-output range top

- Three-point seatbelts for the driver and passenger, and seatbelts throughout
 - Three seatbelts in sofa
- Options
- Central vacuum system (requires 50 amp service) (32R, 33H, 34B and 34N only)
 - Utility package includes walkie talkie radios and valve stem extenders

ELECTRICAL SYSTEMS

- Standard
- Guardian RV Quietpack™ 40G generator (3600 watts) (30Q, 31D and 31H only)

- Guardian RV Quietpack™ 55G generator (5500 watts) (32R, 33H, 34B and 34N only)
- 30-amp service
- Marine-type detachable power cord
- 6-gallon gas water heater
- Water heater bypass system
- Battery disconnect switch
- Second auxiliary battery
- Emergency start switch








- Options
- Onan® RV Microquiet™ 4000 generator (4000 watts) (30Q, 31D and 31H only)
 - Guardian RV Quietpack™ 55G generator (5500 watts) (30Q, 31D and 31H only)

- Onan® RV Marquis Gold™ 5500 generator (5500 watts)
- 50-amp service with gas/electric water heater
- Second auxiliary battery

STORAGE AREAS

- Standard
- Large pass-through Roto-Cast storage compartments
 - Flush mount radius luggage doors
 - Heated and enclosed Roto-Cast holding tanks (32R, 33H, 34B and 34N only)
- Options
- Heated holding tanks (30Q, 31D and 31H only)

FLOORPLANS



■ Carpet ■ Linoleum

INTERIOR DECOR

Estate Indigo



Iza Alpine



Pebble Gray



Standard Oak

Optional Maple

Optional Cherry